SITE: V.C. Chemical Social Cia BREAK: 22 OTHER: V.50



Transmitted Via First Class Mail

May 25, 2006

Mr. Rick Wages Rick Wages Enterprises, LLC 3929 Grove Trail Loganville, GA 30052

Re: Soil Sampling Data Summary Report for

500 Dove Way, Social Circle, GA

BBL Project #: 85533

Dear Mr. Wages:

On April 4, 2006 and with your permission, Blasland, Bouck & Lee, Inc. (BBL) collected soil samples from your property located at 500 Dove Way in Social Circle, Georgia. These activities were performed on behalf of Exxon Mobil Corporation (ExxonMobil) to provide data to evaluate the potential impacts of a former fertilizer manufacturing plant whose facilities appear to have been located in the vicinity of the property.

All soil samples collected were tested in the field to determine the approximate levels of arsenic and lead, which research has shown may be related to past operations of the former fertilizer plant. Based on these field test results, select samples were submitted to, and analyzed by, a laboratory approved by the United States Environmental Protection Agency (USEPA).

The purpose of this letter is to describe the soil sampling activities that were performed at your property and to present the results. Also included are photos of the inspection that was performed to document the condition of your property at the time of sampling (Attachment 1). Copies of this report are being submitted to the USEPA.

#### **Soil Sample Collection Activities**

Prior to sampling, the locations of underground utilities were identified by a utility locating service to minimize the possibility of disrupting services to the property and protect the safety of the workers.

Two types of soil samples were collected from your property as follows:

• Surface soil samples were collected from 0 to 6 inches below ground surface from five locations in both the front and back yards. The five front yard surface samples were mixed together in equal amounts and then tested in the field to determine the approximate concentrations of arsenic and lead. Field testing was performed using a portable X-ray fluorescence (XRF) device. The front yard mixed sample was then sent to the laboratory for



 analysis. This process was repeated for the five backyard samples. All samples submitted to the laboratory were analyzed for metals (including arsenic and lead) and pH (soil acidity).

• Deeper soil samples were collected from one location in the front yard and one location in the back yard. The locations of these deeper soil samples are shown on Figure 1. Samples were collected using hand augers or by pushing hollow steel tubes into the ground to the required sample depth. At each location, soil samples were collected from 0.5 to 2 feet, 2 to 4 feet, 4 to 6 feet, and 6 to 8 feet below ground surface. These samples were tested in the field using the XRF device described above to determine the approximate concentrations of arsenic and lead. Based on these results, select samples were sent to the laboratory and analyzed for metals (including arsenic and lead) and pH (soil acidity).

A list of the soil samples collected from your property is provided in Table 1.

#### Results of the Soil Sampling

The USEPA has established screening levels (i.e., levels that trigger additional assessment and evaluation) for metals. Field measurements and laboratory analytical results indicate that the concentrations of arsenic and lead are below the USEPA's screening levels of 27 milligrams per kilogram (mg/kg) and 400 mg/kg, respectively. Laboratory analytical results indicate that iron was detected above the USEPA screening levels in some of the samples collected from your property. Laboratory analytical results for the soil samples collected from your property are provided in Table 2.

#### **Conclusion**

As described above, all soil samples collected at your property contained concentrations of arsenic and lead <u>below</u> USEPA's screening levels of 27 mg/kg and 400 mg/kg, respectively. According to USEPA, the arsenic and lead concentrations are protective of human health and the environment. Laboratory analytical results indicate that iron was detected above the USEPA screening levels in some of the samples collected from your property. ExxonMobil is submitting these results to the USEPA. We will work with these agencies to determine what further actions (if any) are necessary for your property, and will keep you informed. Any necessary actions for your property will be described in the upcoming *Removal Action Delineation Report/Removal Action Work Plan* that will be prepared by BBL on behalf of ExxonMobil and reviewed and approved by USEPA.

Thank you once again for granting ExxonMobil access to your property to conduct these soil sampling activities.

Sincerely,

BLASLAND, BOUCK & LEE, INC.

Corinda Chwalek, P.E. Senior Project Engineer II

CBC/cbc

#### **Enclosures:**

7

Table 1 – Summary of Analytical Program for Samples Collected from 500 Dove Way

Table 2 – Summary of Analytical Results for Detected Metals in Soil Samples Collected from 500 Dove Way

Figure 1 – Sample Location Map for 500 Dove Way

#### Attachments:

Attachment 1 – Photographs

cc:

D. Andrews, USEPA

B. Frink, ExxonMobil R. Wallis, ExxonMobil M. Ross, ExxonMobil

## **Tables**



Table 1
Summary of Analytical Program for Samples Collected from 500 Dove Way
Social Circle, Georgia

	<u> </u>			Laboratory Measurement				
Sample Name	Depth (feet)	Sample Date	Arsenic and Lead Field Measurement	Metals	рН	Comments		
Front Yard Samples								
SCSB-500DW-1	0-0.5	04/04/06	_ X	X	X	Combination (composite) surface soil sample of five locations from the front yard.		
SCSB-500DW-1	- 0.5-2	04/04/06	X	X	X	Soil sample collected from the front yard		
SCSB-500DW-1	2-4	04/04/06	X	X	X	Soil sample collected from the front yard		
SCSB-500DW-1	.4-6	04/04/06	X			Soil sample collected from the front yard not analyzed because arsenic and lead in		
SCSB-500DW-1	6-8	04/04/06	. X			the 2-4 foot interval were below USEPA screening levels.  Soil sample collected from the front yard not analyzed because arsenic and lead in the 2-4 foot interval were below USEPA screening levels.		
<b>Back Yard Samples</b>								
SCSB-500DW-2	0-0.5	04/04/06	X	X	X	Combination (composite) surface soil sample of five locations from the back yard.		
SCSB-500DW-2	0.5-2	04/04/06	X	X	X	Soil sample collected from the back yard		
SCSB-500DW-2	2-4	04/04/06	X	X	X	Soil sample collected from the back yard		
SCSB-500DW-2	4-6	04/04/06	X			Soil sample collected from the back yard not analyzed because arsenic and lead in the 2-4 foot interval were below USEPA screening levels.		
SCSB-500DW-2	6-8	04/04/06	X			Soil sample collected from the back yard not analyzed because arsenic and lead in the 2-4 foot interval were below USEPA screening levels.		

#### Notes:

- 1. Samples depths are measured in feet below ground surface.
- 2. Laboratory measurements were performed by TestAmerica, Inc. of Nashville, Tennessee.
- 3. Sample locations are shown on Figure 1.

Table 2
Summary of Analytical Results for Detected Metals in Soil Samples Collected from 500 Dove Way
Social Circle, Georgia

	Concentration in Sample:									
			SCSB-500DW-1	SCSB-500DW-1	SCSB-500DW-1	SCSB-500DW-2	SCSB-500DW-2	SCSB-500DW-2		
	Screening		0 - 0.5 ft bgs	0.5 - 2 ft bgs	2 - 4 ft bgs	0 - 0.5 ft bgs	0.5 - 2 ft bgs	2 - 4 ft bgs		
Analyte	Criteria	Units	4/4/2006	4/4/2006	4/4/2006	4/4/2006	4/4/2006	4/4/2006		
Metals										
Aluminum	76,000	mg/kg	5720	8470	8420	8190	7700	7490		
Arsenic	27	mg/kg	1.21 U	1. <b>19</b> U	1.15 U	1.15 J	0.919 J	1.33 U		
Barium	5,400	mg/kg	16.7	50.8	86.2	44.8	28.4	9.43		
Beryllium	150	mg/kg	1.21 U	0.69 J	0.828 J	0.626 J	1.15 U	1.33 U		
Calcium		mg/kg	213	65.2	38.1	536	284	180		
Chromium	210	mg/kg	19.7	21.8	35.1	27.3	15.5	12.7		
Cobalt	900	mg/kg	5.23	10.2	8.92	8.16	4.69	2.72		
Copper	3,100	mg/kg	18.5	39.2	41.4	20.6	10.8	9.75		
Iron	23,000	mg/kg	34600 F	海山等。38200 1 号号	42442000	34300	21600	19100		
Lead	400	mg/kg	9.72	9.37	5.8	11.7	10.3	13		
Magnesium		mg/kg	245	920	1340	723	266	62.9		
Manganese	1,800	mg/kg	102	222	143	200	69.6	49.9		
Nickel	1,600	mg/kg	2	6.4	8.23	4.6	2.41	0.985 J		
Potassium		mg/kg	383	1310	2020	981	396	206		
Vanadium	78	mg/kg	54.3	65.5	66	57.9	37.9	32.5		
Zinc	23,000	mg/kg	8.39 J	29.1	40.3	28.3	12	13.3 U		
Miscellaneous										
% Dry Solids		%	82.3	83.9	84.6	80.4	86.9	75.4		
pН		pH Units	5.7	5.1	5.3	5.3	5.9	5.2		

#### Notes:

bgs - below ground surface

J - estimated value

mg/kg - milligrams per kilogram


U - not detected

-- no screening level

Shaded value exceeds the screening level

# **Figure**





## Attachment 1

**Photographs** 



### Attachment 1 Photographs of 500 Dove Way, Social Circle, GA



500 Dove Way, northern edge looking south.




500 Dove Way, northern edge looking south.

## Attachment 1 Photographs of 500 Dove Way, Social Circle, GA




500 Dove Way, eastern edge looking north.



500 Dove Way, southern edge looking west.

### Attachment 1 Photographs of 500 Dove Way, Social Circle, GA



500 Dove Way, western edge looking north.